

## Michigan PROCEDURES

## DEAD ON SCENE & TERMINATION OF RESUSCITATION

Initial Date: 01/27/2023 Revised Date: 03/17/2025

Section 7-6

#### Dead on Scene & Termination of Resuscitation

Purpose: For patients in cardiac arrest, when and when not to initiate CPR, and when to terminate efforts.

- A. Dead on Scene Criteria CPR should NOT be initiated in the following cardiac arrest patients:
  - 1. Decomposition
  - 2. Rigor mortis (Caution: do not confuse with stiffness due to cold environment)
  - 3. Dependent lividity
  - 4. Decapitation
  - 5. Traumatic cardiac arrest while entrapped (witnessed or unwitnessed)
  - 6. Incinerated or frozen body
  - Submersion greater than 90 minutes in cold water (water temperature less than 70° F/21° C) as documented by the licensed health care professional after arrival on scene.
  - Submersion greater than 30 minutes in warm water (water temperature greater than 70° F/21° C) as documented by the licensed health care professional after arrival on scene.
  - Gross dismemberment or obvious mortal wounds/conditions (injuries inconsistent with life – i.e., crushing injuries of the head and/or chest)
  - 10. Unwitnessed arrest of traumatic origin, without organized electrical activity (must be asystole or pulseless rhythm with rate less than 40/min).
    - i. Exception to this is electrocution (including lightning strike) or acute hypothermia.
  - 11. Patient has a valid "Do Not Resuscitate" identification bracelet or order refer to **DNR-Procedure Protocol**
  - 12. Patient has MI-POST with Do Not Resuscitate selected in section A refer to MI POST-Procedure Protocol
  - 13. In cases of mass casualty incidents, where the number of patients exceeds the providers and resources to care for them, any patient who is pulseless and apneic may be triaged as deceased.
- B. Exceptions to Dead on Scene Criteria in which CPR should be initiated:
  - In EMS professional judgement potential viability despite meeting Dead on Scene criteria.
  - 2. Pregnant patient arrest witnessed by either bystanders or EMS personnel
    - i. Resuscitation and immediate transport to the closest receiving facility

ii. Contact Medical Control as early as possible

Formatted

Formatted: Font: (Default) Arial

### C. Pronouncement of Death

 Per the Determination of Death Act (Act 90 of 1992, MCL 333.1033), the MCA may establish which of its medical personnel may pronounce death. Per this pelicy, pParamedics holding MCA privileges, while on duty with a licensed ALS life support agency, with primary or secondary operations within this MCA or

MCA Name:

MCA Board Approval Date: MCA Implementation Date: MDHHS Approval: 3/17/25 Page 1 of 3

MDHHS Reviewed 2025



# Michigan PROCEDURES

## DEAD ON SCENE & TERMINATION OF RESUSCITATION

Initial Date: 01/27/2023 Revised Date: 03/17/2025

Section 7-6

Formatted

Formatted: Indent: Left: 1", No bullets or numbering
Formatted: Font: (Default) Arial, Underline

Formatted: Normal, No bullets or numbering

while providing mutual aid within this MCA, may pronounce the death of a patient who meets the criteria above for Dead on Scene.

- 2. Contact with online medical direction for the purpose of determination of death or pronouncement is not necessary unless expressly stated in the enabling protocol
- 3. Contact with dispatch for the purposes of recording the death is required.

C.D. For all other patients:

- 1. Follow the Adult or Pediatric Cardiac Arrest-Treatment Protocol.
- Medical cardiac arrest patients undergoing attempted resuscitation will not be transported unless return of spontaneous circulation (ROSC) is achieved.
  - i. If the resuscitation cannot be safely performed on scene patient should be loaded into transporting unit and vehicle should be moved to closest appropriate area to continue resuscitation efforts
  - ii. Contact Medical Control for special circumstances requiring early transport and document accordingly.
- 3. Patients will have resuscitation continued at the scene for at least 30 minutes.
  - i. Contact Medical Control for special circumstances and document accordingly.
- 4. If ROSC is achieved see Adult or Pediatric Return of Spontaneous Circulation-Treatment Protocol

D.E. Termination of Resuscitation if ROSC is NOT Achieved

- •• 1. ALS Termination of Resuscitation, after 30 minutes of ALS time contact Medical Control for:
  - i. Consideration of termination of resuscitation for Asystole in all 3 leads or PEA with a rate of less than 40.
  - ii. Consideration of termination and/or further orders/potential transport for PEA with a rate of 40 or greater, or persistent/recurrent V Fib.
  - iii. Confirm lack of mechanical activity in all PEA rhythms of 40 or greater by auscultation of apical pulse.
- 2. BLS Termination of Resuscitation
  - AHA Guidelines suggest that the following are reliable and valid criteria for BLS termination of resuscitation when <u>ALL</u> the following apply:
    - a. Arrest not witnessed by EMS personnel
    - b. ROSC is not present after 20 minutes of high-quality CPR with an adequate airway.
    - No AED shock was delivered by EMS personnel or prior to arrival

- Contact Medical Control for the following:
  - a. Termination of efforts
  - b. Further orders for on scene care/treatment
  - c. Consideration of transport in extreme situations

MCA Name: MCA Board Approval Date: MCA Implementation Date: MDHHS Approval: 3/17/25

Page 2 of 3

MDHHS Reviewed 2025



## Michigan PROCEDURES

## DEAD ON SCENE & TERMINATION OF RESUSCITATION

Initial Date: 01/27/2023 Revised Date: 03/17/2025

Section 7-6

- 3. The medical examiner system will be activated consistent with **Medical Examiner Notification and Body Disposition Protocol**
- Prehospital personnel will provide information to the family which should include medical control procedures for termination of resuscitation when applicable.
- 5. The following must be documented
  - a. Time of death as pronounced by physician
  - b. Name of hospital and physician providing time of death
  - c. Notification of law enforcement
  - d. Gift of life status