

Michigan
COMMUNITY INTEGRATED PARAMEDICINE
Treatment Protocol
CHRONIC HYPERTENSION CARE

Initial Date: November 19, 2020

Revised Date:

Section 11-55

This protocol is for trained CIP Paramedics only. If during assessment, procedure, or treatment the patient is found to have a medical emergency in need of hospital treatment, the CIP visit will be suspended, and local MCA protocols utilized.

Purpose: To provide additional guidelines beyond the CIP General Assessment and Care for evaluating, caring for and educating patients with chronic hypertension.

- I. Follow **CIP Patient General Assessment and Care protocol**
- II. Obtain additional vital signs, history, and diagnostics pertinent to condition and/or as ordered by physician which may include:
 - a. Vitals:
 - i. Manual and automated blood pressure
 - b. History:
 - i. Diet
- III. On-scene medication administration may include:
 - a. Use of approved MCA protocols and medications up to the extent of standard paramedic treatment according to protocol.
 - b. Assist with patient's prescribed home medications that are not included in standard EMS treatment protocols
 - c. Use of patient's prescribed medications beyond the parameters of the prescription must have direct consultation with the referring physician prior to administration
- IV. On-scene education and suggested support sources may include:
 - a. Salt and fluid intake discussion/counseling